

Vehicle History Report

VEHICLE DETAILS

Chassis number 1: YV1MV6350E2095991 Manufacture date: 2013 Make: **VOLVO** Model: V40 DBA-MB5204T Body: Grade: T5 R DESIGN **Engine:** B5204T Drive: 2WD Transmission: AΤ

Title information ²:

Deregistered to Export

Accident / Repair:

Ĭ=

No problem

Q

Odometer rollback:

No problem

Q

Manufacturer recall:



No problem

V

Safety grade ³:



No data

 \bigcirc

Contamination risk:



No problem

 \bigcirc

This vehicle does not qualify for Buyback Guarantee

Average Market Price



Unfortunately, this vehicle does not qualify for our Buyback Guarantee program.



¥400,000

About Buyback Guarantee

This CAR VX Vehicle History Report is based only on Information supplied to CAR VX, LTD and available as of 2024-09-21 18:59:51. Other information about this vehicle, including problems, may not have been reported to CAR VX, LTD. Use this report as one important tool, along with a vehicle inspection and test drive, to make a better decision about your next used car.

ACCIDENT / REPAIR HISTORY

Problem type	Reported	Date reported	Data source	Details	Airbag
Collision	Not reported				
Malfunction	Not reported				
Theft	Not reported				
Fire damage	Not reported				
Water damage	Not reported				
Hail damage	Not reported				

ODOMETER READINGS HISTORY

Date reported	Data source	Odometer reading (Km)
2021-05-14	MLIT	80700
2023-04-24	MLIT	97200
2024-04-25	JU Aichi	105666

USE HISTORY

Use in the contaminated regions ⁴ Radioactive contamination test fail ⁵ Commercial use

Not reported

Not reported

Not reported

DETAILED HISTORY

Event date	Location	Odometer reading (Km)	Data source	Details
2013			VOLVO	Manufactured
2013-10			MLIT	First registration
2021-05-14		80700	MLIT	Inspection
2023-04-24	Sagami	97200	MLIT	Inspection
2024-04-25	Aichi	105666	JU Aichi	Auctioned

2024-05-08 Sagami MLIT Last registration

MANUFACTURER RECALL HISTORY

Date reported Data source Affected part Details

Not reported

VEHICLE ASSESSMENT

Overall Collision Safety Ratings

Driver's seat		Front passenger's seat			
Points	Evaluation	Goal average	Points	Evaluation	Goal average
0		0%	0		0%

^{*} In order to accurately differentiate between the evaluations of different vehicles, a standard is set based on current technology. Up to 6 points out of 12 is given level 1 and the rest of the range is divided up into equal parts, which are respectively assigned to level 2 (more than 6 points but 7.5 or less), level 3 (more than 7.5 points but 9 or less), level 4 (more than 9 points but 10.5 or less) or level 5 (more than 10.5 points).

Braking performance tests 7

Dry road



Wet road



1st gear ratio	2nd gear ratio
3rd gear ratio	4th gear ratio
5th gear ratio	6th gear ratio
Additional notes	Airbag position, capacity
Body rear overhang	Body type WAGON

Chassis number embossing position		Classification code	3
Cylinders		Displacement	1980
Electric engine type		Electric engine maximum output	
Electric engine maximum torque		Electric engine power	
Engine maximum power	213ps(157kW)/6000rpm	Engine maximum torque	30.6kg· m(300N· m)/2700 ~ 5000rpm
Engine model	B5204T	Frame type	
Front shaft weight	940	Front shock absorber type	
Front stabilizer type		Front tires size	225/40R18
Front tread	1550	Fuel consumption	
Fuel tank equipment	62	Grade	T5 R DESIGN
Height	144	Length	437
Main brakes type		Make	VOLVO
Maximum speed		Minimum ground clearance	
Maximum speed Minimum turning radius	5.7m	=	V40
·	5.7m DBA-MB5204T	clearance	V40
Minimum turning radius		clearance	V40
Minimum turning radius Model code	DBA-MB5204T	clearance Model Mufflers number Rear shock absorber	V40 225/40R18
Minimum turning radius Model code Rear shaft weight	DBA-MB5204T	clearance Model Mufflers number Rear shock absorber type	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type	DBA-MB5204T 600	clearance Model Mufflers number Rear shock absorber type Rear tires size	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread	DBA-MB5204T 600 1535	clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity	DBA-MB5204T 600 1535 5	Clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type	
Minimum turning radius Model code Rear shaft weight Rear stabilizer type Rear tread Riding capacity Specification code	DBA-MB5204T 600 1535 5 17495	Clearance Model Mufflers number Rear shock absorber type Rear tires size Reverse ratio Side brakes type Stopping distance	225/40R18


Date: 2024-04-25, Auction: JU Aichi, Lot #: 11

Date:	2024-04-25	Lot #:	11
Auction name:	JU Aichi	Region:	Aichi
Make:	VOLVO	Model:	V40
Reg. year:	2013	Mileage (km):	105666
Displacement (cc):	2000	Transmission:	FAT
Color:	BLUE	Model code:	MB5204T
Result:	sold	Auction grade:	4
Problem type:	No problem	Problem scale:	None
Contaminated:	No	Airbag:	OK

PHOTOS AND AUCTION SHEETS


車内保管	·守衛保管 914 Jeg 愛知 出	品申込書 JAPAN USED CAR DEALERS ASSOCIATION
出品番号 [2058] 00011	初度登録年月 車名・グレード H25 (0月 ボルボ V40	7-5 尺 ラヴィン 4WD 上人 ドア 5 定員 5 人 ディーラー・並 行 外 装 内
車歴 自家 車検 及?	デ ・() デスト 年 5月(ユ)日) ^{冷房} AAC	サールスポイント(正常に機能するものに限ります) ★ガリバー買取店出品 ダスーダー 寛教名 !!
事権付きのみ記入して 表行	万5千666 km 整油	サフルセク・TV!! 本本を正すと「!! 交債品(純正品に限り)をつけてください) 新本保証を PS PW TPB AW カワシート カート カート
注意事項申告	9,440 円 名変期限 月 日 古機(不具合内容等は具体的に記入して下さい)	後日品
音員 FW	有 (箇所 キズ・飛石・ヒビ割・リベア跡・X要 キズ・ガン・コゲ・穴・スレ・キレ・破レ	
車台番号	YV /MV6350E209599/	A-AX E-X29 U-50A W-M体的 S-9E C-成立 XX-交換所
登録番号		近指変数号




















GLOSSARY

¹ Chassis number – a unique identification number of the vehicle in Japan (same as VIN in the USA or Europe)

² Title information:

Registered – qualified for driving in Japan

Deregistered Temporarily – not qualified for driving in Japan, usually a temporary title during the ownership change

Deregistered Completely – not qualified for driving in Japan, the vehicle is determined to be scrapped Deregistered to Export – not qualified for driving in Japan, the vehicle is determined to be exported

³ Determining the overall collision safety performance evaluation – For the driver's seat, the results of the full-wrap frontal collision test, offset frontal collision test, and side collision test are added together and evaluated to 6 different levels. For the Frontal passenger's seat, the results of the full-wrap frontal collision test and the side collision test (results for the driver's or the front passenger's seat are used) are added together and evaluated to 6 different levels.

Regular vehicle inspection – All vehicles in Japan must undergo regular vehicle inspections (shaken). New cars need to be tested after three years, and then vehicles must be tested every two years thereafter. A vehicle inspection (shaken) is compulsory for all vehicles with an engine size over 250cc. It ensures that all vehicles on the road are properly maintained and safe to drive. The test also checks that vehicles have not been illegally modified; if they are found to have been modified, they are not allowed on the road.

- ⁴ Use in the contaminated regions The Fukushima Daiichi nuclear disaster was a catastrophic failure at the Fukushima I Nuclear Power Plant on 11 March 2011, resulting in a meltdown of three of the plant's six nuclear reactors. As a result, some areas in the following prefectures were contaminated: Fukushima, Miyagi, Ibaraki, Tochigi.
- ⁵ Radioactive contamination test radioactive contamination inspection that was started in July 2011 as a preventive measure for exporting contaminated vehicles from Japan. The inspection is being conducted since in all sea ports of Japan under the supervision of The Japan Harbor Transportation Association (JHTA).

MLIT - Ministry of Land, Infrastructure, Transport and Tourism.

- ⁶ Japan New Car Assessment Program the Ministry of Land, Infrastructure, Transport and Tourism (MLIT) and the National Agency for Automotive Safety & Victims' Aid (NASVA) have taken measures for safety, one of which is to assess commercially available vehicles through a variety of safety performance tests and release the resulting information compiled into the "New Car Assessment Program". The objective of Japan New Car Assessment Program is to increase the use of safe automobiles by providing an environment in which users can easily select such vehicles. This also promotes the development of safer vehicles by automobile manufacturers. Neck injury protection for rear-end collision performance test, rear seat passenger's protection for frontal collision performance test, rear passenger's seat belt usability evaluation test and seat belt reminder for passengers evaluation test are started in FY2009.
- ⁷ Braking Performance Tests Braking performance is determined by the shortness of the distance in which a vehicle can stop and the stability of the vehicle at the time of braking. This test is performed under wet and dry road conditions for a vehicle which has both a driver and a front passenger. The distance it takes for the vehicle to stop and the stability of the vehicle at the time of braking is evaluated for when the vehicle is stopped abruptly while traveling at a speed of 100km/h. The stopping distance and vehicle speed have been measured by using GPS since FY2009.

CAR VX, LTD DEPENDS ON ITS SOURCES FOR THE ACCURACY AND RELIABILITY OF ITS INFORMATION. THEREFORE, NO RESPONSIBILITY IS ASSUMED BY CAR VX, LTD OR ITS AGENTS FOR ERRORS OR OMISSIONS IN THIS REPORT. CAR VX, LTD FURTHER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

© 2014-2024 Car VX Limited. All rights reserved.